

SECTION 13: LANDSCAPE REQUIREMENTS

13.A Purpose.

It is the purpose of this section to establish regulations pertaining to landscaping within the City for all multi-family dwellings and nonresidential uses located in residential districts and all uses located in the business and industrial zoning districts. These regulations provide standards and criteria for new landscaping and the retention of existing trees, which are intended to:

- (1) Preserve the value of property, enhance the welfare, and improve the physical appearance of the City;
- (2) Reduce the negative effects of glare, noise, erosion and sedimentation caused by expanses of impervious and un-vegetated surfaces within the urban environment;
- (3) Preserve and improve the natural and urban environment by recognizing that the use of landscaping elements and retention of existing trees can contribute to the processes of air purification, oxygen regeneration, groundwater recharge, abatement of noise, glare and heat, and enhance the overall beauty of the City.

13.B Landscape Plan Requirements-Landscape Plan Required.

- (1) The landscape plan may be prepared by the applicant, or applicant's designee. The landscape plan is not required to be prepared by a registered or certified professional.
- (2) The landscape plan shall be submitted as a part of the site plan. A landscape plan meeting the requirements of this ordinance shall be provided and approved prior to the issuance of a building permit.
- (3) The landscape plan shall contain the following information:
 - (a) Drawn to scale;
 - (b) North arrow;
 - (c) Date of plan submittal;
 - (d) Location, size and species of all trees to be preserved. The method of preservation during the construction phase of development shall be according to Section 13.F, Tree Protection;

Stephenville – Zoning Ordinance

- (e) Location of all plants and landscaping material to be used including paving, benches, screens, fountains, statues, topography, ponds/lakes, or other landscape features;
- (f) Size and type of all plant material to be used;
- (g) Spacing of plant material where appropriate;
- (h) Layout and description of irrigation, sprinkler or water system; including placement of water sources;
- (i) Description of maintenance provisions of the landscape plan;
- (j) Persons responsible for the preparation of the landscape plan.

13.C Landscape Installation Required

- (1) Fifteen percent of the total land area in any proposed development or construction that occurs for any use after the effective date of this ordinance shall be landscaped. This 15% requirement shall apply to each phase as it is developed.
- (2) The minimum plantings for every 1,000 square feet of required landscape, shall be one three inch caliper or larger canopy tree and either two ornamental trees or six shrubs.
- (3) Where the construction is to be a single phase of a multi-phase development, only the area being constructed in the current phase need be subject to the landscape regulations. However, each phase will be required to meet the landscaping requirements as they may hereafter be amended when that phase is developed.
- (4) The use of drought tolerant plants is encouraged to meet requirements of this Ordinance.
- (5) Artificial plants or turf are expressly prohibited.
- (6) Alternative species of trees may be used upon approval by the Director of Community Development or his or her designee.
- (7) An irrigation system must be provided.

Section 13: Landscape Requirements

13.D Location Criteria

- (1) No less than 30% of the total landscaping area and planting materials shall be located in the designated front yard. Parcels that are adjacent to more than one roadway may count the street yards of all adjacent roadways towards satisfying the front yard requirement.
- (2) In the I "Industrial" zoning district, only the front-yard thirty percent (30%) of the total fifteen percent (15%) of required landscaping shall be required. The rear and side yard landscape requirements may be waived upon submittal of a landscape plan showing compliance with all other requirements.
- (3) There shall be a 15-foot landscaping buffer located along the right-of-way of U.S. Hwy 377, Hwy 67, Hwy 281, Hwy FM 8, and Hwy FM 988. All landscaping that occurs within this 15-foot buffer shall be included within the landscape calculation toward meeting the landscape requirements contained in Section 13, Landscape Requirements.
- (4) The required landscaping around monument signs shall count towards total landscaping requirements and towards front yard landscaping requirement.
- (5) All landscape material shall comply with visibility requirements of the City of Stephenville Subdivision Ordinance regulations.

13.E Tree Survey

A tree survey shall be provided for any new construction prior to permit issuance. A tree survey will also be required for any remodeling or construction that proposes to enlarge the footprint of the structure and/or requires a building permit:

- (1) This requirement is limited to sites which are located in any non-residential district or for any non-residential use located in a residential district.
- (2) The tree survey shall be provided prior to any construction, including any earthwork on any site.
- (3) The survey shall be submitted with the building permit application, or may be submitted prior to the building permit application if the applicant so desires. As soon as the Director of Community Development approves the tree survey, earthwork may be initiated at the discretion of the Director of Community Development; however, no work may be initiated on structural elements of the building without an approved building permit.
- (4) The tree survey shall show the exact location of the tree, size of the tree measured by diameter, and the common name of all trees of a six inch caliper or height of seven feet.

Stephenville – Zoning Ordinance

13.F Tree Protection

The following procedures shall be followed on all construction projects to protect existing trees, to be preserved, in order to satisfy the requirements of this Section:

1. All preserved trees shall be flagged with bright fluorescent orange vinyl tape wrapped around the main trunk at a height of four feet or more so that the tape is visible to workers operating construction equipment.
2. A protective fencing shall be required for trees to be preserved if the trees are located so close to the construction that construction equipment will infringe upon the root systems. The fence will be placed between the trees and the construction activity in a manner to ensure that the tree roots, up to the drip line, will be protected from construction equipment.

13.G Additional Requirements Adjacent to Residential

The following standards shall apply to all multifamily and nonresidential developments. These standards may be met by saving existing trees on the site of six inches caliper or more, measured 12 inches above grade, or by planting new trees from the approved tree list contained in this Section. Minimum requirements for development located within the multifamily, business and industrial districts shall be as follows:

1. A landscape buffer of 20 feet will be required along any property line abutting a RE, RHA, R-1, R-1.5, R-2, R-3, or B-3 residential district.
2. Not less than 15% of the gross site area shall be devoted to open space, including required yards and buffer areas. Open space shall not include areas covered by structures, parking areas, driveways, and internal streets.
3. Landscaping consisting of the planting of new or retention of existing shrubs, trees, and flowering plants shall be placed in the yard facing any public roadways.
4. The method of irrigation must be indicated on site plan.

13.H Landscaping Within the City Right-Of-Ways

Landscaping requirements pertaining to the City rights-of-way shall apply only to non-residentially zoned property and non-residential development located in residential districts.

Section 13: Landscape Requirements

- (1) At the option of the owner-developer, and issuance of a permit by the City, the owner-developer may landscape the city rights-of-way easements, including parkways and medians, on public streets adjoining the subject property in accordance with this section and with the following limitations.
- (2) Trees located in the public right-of-way shall be located on an average of 25 feet on center, and shall be a minimum of three inches in diameter at the time of planting. Trees planted in street rights-of-way must be maintained such that the lowest branches are no lower than nine (9') feet above the ground in order to allow adequate visibility.
- (3) The trees located in the right-of-way shall not be arranged in a manner to interfere with traffic flow or traffic view.
- (4) Trees shall not be permitted in rights-of-way containing City water and sanitary sewer mains.
- (5) No trees or vertical plants shall be permitted within five feet of any fire hydrant.
- (6) The owner recognizes that the City or any franchised utility will not be responsible for damage to any landscaping while performing repairs or maintenance to its system.
- (7) An irrigation system must be provided.
- (8) If the owner-developer elects hereunder to provide landscaping within the right-of-way, this landscaping will count toward the total landscaping required. For each one square foot, exclusive of driveways, sidewalks and paved areas, there shall be allowed a four square foot credit against the overall landscaping requirement of 15% of the total land area in the development up to a maximum and not to exceed five percent.

13.I Parking Area Requirements

Landscaping requirements pertaining to parking areas shall apply only to non-residentially zoned property, non-residential development located in residential districts, and multifamily development.

- (1) Landscape planting shall not be erected or installed in such a manner to interfere with traffic view or impose safety hazards.
- (2) Interior parking lot landscaped areas must be provided in each parking lot at a minimum average density of one shade tree a minimum of three inches in caliper for each 12 parking spaces. Additionally, interior parking lot landscaping shall be provided in accordance with the following:
 - (a) One landscaped parking island (9' x 18') shall be provided for each 12 parking spaces located in the parking lots.

Stephenville – Zoning Ordinance

- (b) Parking lot landscaping shall be met for all customer and employee parking. Parking lot landscaping requirements do not apply to storage or standing parking spaces incidental to uses such as sales and rental of motor vehicles, mobile homes, boats, trailers or other similar uses.
- (3) The required landscaping for parking lots shall be evenly distributed throughout the parking lot, although adjustments may be approved by the Director of Community Development or his or her designee where the shape and size of the parking lot, the location of existing trees or other natural constraints reasonably prevent such distribution.
- (4) All landscaped areas, including the permeable areas and drip lines around trees and planting beds used for visual screening which abut any parking lot or vehicular travel area, shall be protected with curbs, tire stops/parking blocks or similar barriers sufficient to protect them from vehicular intrusion.
- (5) The requirements listed in this Section shall not apply to single family and two to four family residential development.

13.J Credits Towards Landscaping Requirements

- (1) Grass is an appropriate landscape material. However, a variety of plant material is recommended. Additional Enhancement Credit may be obtained by providing the optional landscaping elements listed in the Landscape Area Credit table.
- (2) In no instance shall the total amount of landscaping on a lot be reduced through credits by more than 50% of the landscaped area required by this ordinance.
- (3) Xeriscaped area and methodology shall be clearly located and detailed on the site plan.
- (4) A flower bed is any area where the soil has been specifically prepared for the planting of flowering plants. In order to be considered for credit calculations, at least 80% of the prepared area must be covered with flowering plant material at the time of peak growth.
- (5) Caliper of trees are to be measured at a point 12 inches above top of ground.
- (6) In order to receive credit for protecting and keeping existing trees, the area within the dripline of the tree must be protected by fencing during grading and construction.

Section 13: Landscape Requirements

Landscape Area Credit

Landscape Element	Amount of Area Credit
For each existing 6 inch tree protected and kept	800 sq. ft.
For each 6 inch tree	400 sq. ft.
For each 3 inch tree	200 sq. ft.
For each five-gallon shrub	25 sq. ft.
For each one-gallon shrub	10 sq. ft.
For each sq. ft. of Xeriscape area	5 sq. ft.
For each sq. ft. of flowering beds	2.5 sq. ft.
For each sq. ft. of landscaped R.O.W.	0.5 sq. ft.

13.K Non-Conforming Landscape

All landscaping, in existence at the time of the adoption of this ordinance, which does not meet the landscape requirements of this section, will be considered a nonconformity. Nonconforming landscaping will be subject to Nonconforming Uses and Structures, unless otherwise provided in the section.

13.L Installation and Maintenance of Landscaping-General

- (1) All required landscaped area shall be permanently landscaped with living plant material and be served with an automatic irrigation system. Water conservation measures are highly encouraged.
- (2) Landscaped areas shall be kept free of trash, litter, weeds, and other such material or plants not a part of the landscaping.
- (3) All plant materials shall be maintained in a healthy and growing condition as is appropriate for the season of the year. Maintenance shall include mowing, watering, trimming, pruning, etc.
- (4) Plant materials which die shall be replaced with plant material of similar variety and size within 90 days, with a one time extension not exceeding 90 days being provided upon approval of the Director of Community Development or his or her designee.

Stephenville – Zoning Ordinance

13.M Certificate of Occupancy

- (1) All landscaping shall be completed and installed in accordance with the approved landscape plan prior to a certificate of occupancy being issued. A one time temporary certificate of occupancy, not to exceed 90 days, may be granted based upon documentation of a hardship.
- (2) If a temporary certificate of occupancy is granted and the landscaping requirements have not been satisfied within the 90 day period from when the temporary certificate of occupancy is issued, the property owner shall be considered in violation of this ordinance.

13.N Approved Tree List

Trees preserved or planted to satisfy the requirements of this ordinance must be according to the following approved tree list:

APPROVED TREE LIST

Common Name	Scientific Name
Ash, Texas	Fraxinus texensis
Cedar Elm	Ulmus crassifolia
Cedar, Eastern Red	Juniperus virginiana
Cypress, Bald	Taxodium distichum
Elm, Lace Bark	Ulmus parvifolia
Magnolia, Southern	Magnolia grandiflora
Maple, Bigtooth	Acer gradidentatum
Maple, Caddo	Acer saccharum
Oak, Bur	Quercus macrocarpa
Oak, Chinquapin	Quercus muhlenbergii
Oak, Escarpment Live	Quercus fusi formis
Oak, Lacey	Quercus glaucoides
Oak, Live	Quercus virginiana (Escarpment)
Oak, Post	Quercus stellata

Section 13: Landscape Requirements

APPROVED TREE LIST

Common Name	Scientific Name
Oak, Red	<i>Quercus shumardi</i>
Oak, Texas Red	<i>Quercus texana</i>
Osage Orange	<i>Maclura pomifera</i> (thornless and fruitless)
Pecan (native)	<i>Carya illinoensis</i>
Pistache, Chinese	<i>Pistacia chinensis</i>
Soapberry, Western	<i>Sapindus drummondii</i>
Walnut, Black	<i>Juglans nigra</i>

* Dwarf Varieties shall not be counted as an ornamental tree but as a shrub.

APPROVED ORNAMENTAL TREES

COMMON NAME	SCIENTIFIC NAME
Buckeye, Mexican	<i>Ungnadia speciosa</i>
Buckeye, Texas	<i>Aesculus glabra</i> var. <i>arguta</i>
Buckthorn, Carolina	<i>Rhamnus caroliniana</i>
Chaste Tree	<i>Vitex agnus-castus</i>
Crabapple, Prairie	<i>Pyrus ioensis</i>
Crape Myrtle	<i>Lagerstroemia indica</i>
Eves Necklace	<i>Sophora affinis</i>
Goldenball Leadtree	<i>Leucaena rietusa</i>
Hawthorne	<i>Crataegus phaenopyrum</i>
Hawthorne	<i>Crataegus crus-galli</i>
Holly, Possumhaw	<i>Ilex decidua</i>
Indigo, False	Hawthorne

Stephenville – Zoning Ordinance

APPROVED ORNAMENTAL TREES

COMMON NAME	SCIENTIFIC NAME
Mountain Laurel, Texas	<i>Sophora secundiflora</i>
Persimmon, Texas	<i>Diospyros texana</i>
Plum, Mexican	<i>Prunus mexicana</i>
Redbud	<i>Cercis canadensis</i>
Smoketree	<i>Cotinus obovatus</i>
Smoketree	<i>Cotinus caggyria</i>
Sumac, Praire Flame-leaf	<i>Rhus lanceolata</i>
Viburnum, Rusty Blackhow	<i>Viburnum rufidulum</i>
Wax Myrtle	<i>Myrica cerifera</i>
Willow, Desert	<i>Chilopsis linearis</i>
Yaupon Holly	<i>Ilex vomitoria</i>

* Dwarf Varieties shall not be counted as an ornamental tree but as a shrub.